Abbitt P, 48
Abdessalam S, 552
Abdul-Karim FW, 423
Adeniran A, 528
Afifi RY, 543
Afşar Y, 163
Aftimos G, 167
Aguiar-Bujanda D, 375
Aguiar-Morales J, 375
Ahn SH, 20
Aihara T, 509
Akashi-Tanaka S, 218
Al-Ahmadie H, 528
Al-Mulhim AMA, 466
Al Tamimi DM, 466
Altan A, 163
Andreu L, 244
Artioli G, (S1)5
As A, 448
Ayan F, 448
Aydogan F, 57
Aygit AC, 163

Bai H, 423
Bailey JM, 460
Bamber JC, 496
Banerjee D, 372
Bani-Hani KE, 318
Barberi S, 554
Barrow S, 266
Bas L, 546
Başak T, 546
Beitsch PD, 383
Benda R, 48
Bentley PG, 558
Berman AW, 146
Bernstam FM, 323
Bickel A, 366
Bitterman A, 465
Blake-Mortimer JS, 195
Bland KI, 83
Bloom KJ, 240
Bøhler PJ, 174
Bohn-Sarmiento U, 375
Bolton JS, 475
Bonardi R, 458
Boolbol SK, 247, 370
Bose S, 392
Boudreau RM, 10
Boyle T, 462
Brafman R, 313
Brancato B, 458
Brem RF, 141
Brennan M, 181
Brenner RJ, 6
Brihi E, 167
Buchbinder SS, 427
Burger D, 89
Bush NL, 496
Buzdar AU, (S1)19, 211

Cady B, 298, 473
Campbell MK, 10
Caplan LS, 106
Caprio G, 554
Caranto JF, (S2)17
Carlson DJ, 337
Carlson RW, 195
Carroll-Johnson RM, 398
Carter E, 443
Catarzi S, 458
Cavazzana AO, 169
Ceccarelli F, 554
Celik V, 57
Cerrato C, 350
Chabot J, 63
Changsri C, 392
Chao C, 337
Chiadis J, 368
Christos P, 181
Chua B, 38
Chung MA, 298, 473
Ciatto S, 458
Civitelli L, 554
Clifford E, 383
Cohen I, 366, 504
Cohen J-M, 247
Cohen O, 465
Collins BT, 170
Connors AM, 355
Cosmi EV, 169
Cotter M, 372
Cowan JH III, 256
Cox C, 271
Cox CE, 267
Cristofanilli M, 323
Crocetti E, 458
Cuadrado JM, 244

Dabbs DJ, 101, 186, 190
Dacosta D, 449
Daniel BL, 416
Delpassand E, 492
Dennison G, 237
Dieschbourg JJ, 240
Dindyal S, 266
Dirbas FM, 416
Ditkoff BA, 63, 156, 160
Dogan M, 448
Dooley WC, 271
Douglas V, 48
Dowlatshahi K, 240
Du XL, 433
Dunkin CSJ, 460
Dunnington GL, 94
Dupont EL, 267
Durst AL, 465
Dyczek S, 165
Dyess DL, 443

Edwards MJ, 337
Eichhorn JH, 487
Eidens RS, (S2)17
El-Hindawy A, 543
Elkins D, 405
Elling D, 377
Ellis MJ, 54
Ellis RL, 94
El-Tamer M, 63, 156
Engel J, 223
Esserman LE, 449
Euhus D, (S1)10
Ewing G, 383

Fadul D, 141
Fehr MK, 89
Feldman S, 247
Feldman SM, 370
Ferahman M, 57
Fiedler B, 377
Fiegl M, 61
Fineberg SA, 427
Fink D, 89
Fletcher CDM, 558
Florentine BD, 398
Förster H, 377
Frame L, (S2)17
Franco C, 169
Frede T, 61
Friedman I, 370
Fuhrman GM, 475
Fukutomi T, 218, 232
Fulton J, 298
Fung M, 101, 190
Furman B, 267
Fyles A, 481

Garcia R, (S2)17
Gastl G, 61
Geoghegan C, (S2)17
Geradts J, 200
Ghosh K, 159
Gibson RM, (S2)13
Giles KA, 536
Giron GL, 247
Gittleman MA, 368
Goffinet D, 118
Goffman TE, 405
Goličnik M, 560
Gombos EC, 449, 548
Gong GY, 20
Gonzalez AD, 452
Goossens A, 60
Gorse SJ, 372
Grandpre LE, 27
Greenberg D, 454
Gregory M, 454
Gross J, 247
Grünewald K, 61
Gulec SA, 452
Güth U, 373
Guthrie TH, 532

Hadi MSA, 466
Haj M, 366, 504
Halevy A, 253
Hall JC, 412
Hall JL, 412
Haller U, 89
Hamele-Bena D, 427
Harigopal M, 551
Harms SE, (S2)1, (S2)3, (S2)9, (S2)13
Harvey JA, 256
Haun M, 61
Hayes DF, 170
Hayman JA, 204
Hebert W, 298
Henderson R, 271
Henry-Tillman R, (S2)13
Hess T, 89
Hilbert V, 304
Hoda S, 181
Hoda SA, 522, 551
Hölzel D, 223
Holzgreve W, 373
Homma K, 33
Hornung R, 89
Horowitz E, 156
Horowitz L, 63
Hortobagyi GN, 273
Huston TL, 440

Ikeda DM, 416
Ilvan S, 57
Inaji H, 509
Ishitobi M, 162
Iwamoto E, 218

Jackson LL, (S2)17
Jankey N, 266
Jeffrey SS, 416
Jennings WC, 363
Johnson A, 313
Johnson R, 101, 186, 190
Johnson RC, 372
Joseph K-A, 63, 156
Jover F, 244
Julian TB, (S2)3, (S2)13

Ka IW, 20
Kan T, 237
Karakas HM, 359
Karanlik H, 546
Kaufman CS, 469
Keleher A, 492
Kelemen K, 548
Kelly NP, 550
Kerr J, 223
Kessler JH, 328
Key CR, 433
Khan SB, 550
Kim JC, 20
Kimura Y, 261
Kinki Breast Cancer Study Group, 509
Kinoshita T, 218, 232
Kirsch D, 398
Kissel JT, 552
Kitamura K, 261
Klimberg VS, (S2)13
Ko CD, 20
Kocak E, 552
Kołodziejski L, 165
Komenaka I, 63, 156
Komenaka IK, 160
Komorowski AL, 165
Kopans DB, 27
Kovacs Z, 465
Kralj B, 560

Abbitt P, 48
Abdessalam S, 552
Abdul-Karim FW, 423
Adeniran A, 528
Afifi RY, 543
Afşar Y, 163
Aftimos G, 167
Aguiar-Bujanda D, 375
Aguiar-Morales J, 375
Ahn SH, 20
Aihara T, 509
Akashi-Tanaka S, 218
Al-Ahmadie H, 528
Al-Mulhim AMA, 466
Al Tamimi DM, 466
Altan A, 163
Andreu L, 244
Artioli G, (S1)5
As A, 448
Ayan F, 448
Aydogan F, 57
Aygit AC, 163

Bai H, 423
Bailey JM, 460
Bamber JC, 496
Banerjee D, 372
Bani-Hani KE, 318
Barberi S, 554
Barrow S, 266
Bas L, 546
Başak T, 546
Beitsch PD, 383
Benda R, 48
Bentley PG, 558
Berman AW, 146
Bernstam FM, 323
Bickel A, 366
Bitterman A, 465
Blake-Mortimer JS, 195
Bland KI, 83
Bloom KJ, 240
Bøhler PJ, 174
Bohn-Sarmiento U, 375
Bolton JS, 475
Bonardi R, 458
Boolbol SK, 247, 370
Bose S, 392
Boudreau RM, 10
Boyle T, 462
Brafman R, 313
Brancato B, 458
Brem RF, 141
Brennan M, 181
Brenner RJ, 6
Brihi E, 167
Buchbinder SS, 427
Burger D, 89
Bush NL, 496
Buzdar AU, (S1)19, 211

Cady B, 298, 473
Campbell MK, 10
Caplan LS, 106
Caprio G, 554
Caranto JF, (S2)17
Carlson DJ, 337
Carlson RW, 195
Carroll-Johnson RM, 398
Carter E, 443
Catarzi S, 458
Cavazzana AO, 169
Ceccarelli F, 554
Celik V, 57
Cerrato C, 350
Chabot J, 63
Changsri C, 392
Chao C, 337
Chiadis J, 368
Christos P, 181
Chua B, 38
Chung MA, 298, 473
Ciatto S, 458
Civitelli L, 554
Clifford E, 383
Cohen I, 366, 504
Cohen J-M, 247
Cohen O, 465
Collins BT, 170
Connors AM, 355
Cosmi EV, 169
Cotter M, 372
Cowan JH III, 256
Cox C, 271
Cox CE, 267
Cristofanilli M, 323
Crocetti E, 458
Cuadrado JM, 244

Dabbs DJ, 101, 186, 190
Dacosta D, 449
Daniel BL, 416
Delpassand E, 492
Dennison G, 237
Dieschbourg JJ, 240
Dindyal S, 266
Dirbas FM, 416
Ditkoff BA, 63, 156, 160
Dogan M, 448
Dooley WC, 271
Douglas V, 48
Dowlatshahi K, 240
Du XL, 433
Dunkin CSJ, 460
Dunnington GL, 94
Dupont EL, 267
Durst AL, 465
Dyczek S, 165
Dyess DL, 443

Edwards MJ, 337
Eichhorn JH, 487
Eidens RS, (S2)17
El-Hindawy A, 543
Elkins D, 405
Elling D, 377
Ellis MJ, 54
Ellis RL, 94
El-Tamer M, 63, 156
Engel J, 223
Esserman LE, 449
Euhus D, (S1)10
Ewing G, 383

Fadul D, 141
Fehr MK, 89
Feldman S, 247
Feldman SM, 370
Ferahman M, 57
Fiedler B, 377
Fiegl M, 61
Fineberg SA, 427
Fink D, 89
Fletcher CDM, 558
Florentine BD, 398
Förster H, 377
Frame L, (S2)17
Franco C, 169
Frede T, 61
Friedman I, 370
Fuhrman GM, 475
Fukutomi T, 218, 232
Fulton J, 298
Fung M, 101, 190
Furman B, 267
Fyles A, 481

Garcia R, (S2)17
Gastl G, 61
Geoghegan C, (S2)17
Geradts J, 200
Ghosh K, 159
Gibson RM, (S2)13
Giles KA, 536
Giron GL, 247
Gittleman MA, 368
Goffinet D, 118
Goffman TE, 405
Goličnik M, 560
Gombos EC, 449, 548
Gong GY, 20
Gonzalez AD, 452
Goossens A, 60
Gorse SJ, 372
Grandpre LE, 27
Greenberg D, 454
Gregory M, 454
Gross J, 247
Grünewald K, 61
Gulec SA, 452
Güth U, 373
Guthrie TH, 532

Hadi MSA, 466
Haj M, 366, 504
Halevy A, 253
Hall JC, 412
Hall JL, 412
Haller U, 89
Hamele-Bena D, 427
Harigopal M, 551
Harms SE, (S2)1, (S2)3, (S2)9, (S2)13
Harvey JA, 256
Haun M, 61
Hayes DF, 170
Hayman JA, 204
Hebert W, 298
Henderson R, 271
Henry-Tillman R, (S2)13
Hess T, 89
Hilbert V, 304
Hoda S, 181
Hoda SA, 522, 551
Hölzel D, 223
Holzgreve W, 373
Homma K, 33
Hornung R, 89
Horowitz E, 156
Horowitz L, 63
Hortobagyi GN, 273
Huston TL, 440

Ikeda DM, 416
Ilvan S, 57
Inaji H, 509
Ishitobi M, 162
Iwamoto E, 218

Jackson LL, (S2)17
Jankey N, 266
Jeffrey SS, 416
Jennings WC, 363
Johnson A, 313
Johnson R, 101, 186, 190
Johnson RC, 372
Joseph K-A, 63, 156
Jover F, 244
Julian TB, (S2)3, (S2)13

Ka IW, 20
Kan T, 237
Karakas HM, 359
Karanlik H, 546
Kaufman CS, 469
Keleher A, 492
Kelemen K, 548
Kelly NP, 550
Kerr J, 223
Kessler JH, 328
Key CR, 433
Khan SB, 550
Kim JC, 20
Kimura Y, 261
Kinki Breast Cancer Study Group, 509
Kinoshita T, 218, 232
Kirsch D, 398
Kissel JT, 552
Kitamura K, 261
Klimberg VS, (S2)13
Ko CD, 20
Kocak E, 552
Kołodziejski L, 165
Komenaka I, 63, 156
Komenaka IK, 160
Komorowski AL, 165
Kopans DB, 27
Kovacs Z, 465
Kralj B, 560

Kretschmer J-A, 377
Kubochi K, 232
Kuerer HM, 492
Kuhl CK, (S2)9
Kümmel S, 377
Kurt A, 546
Kuşaslan R, 57
Kusnick CA, 368
Kwan W, 38

Laidley A, 337
Lamote J, 60
Landsittel D, 101
Lantis J, 156
Laronga C, 405
Lau SK, 487
Laudico AV, 136
Lefel O, 465
Lehman CD, (S2)9
Leonard GD, 146
Levick JR, 496
Lewis CG, 363
Ley P, 337
Lichten JB, 370
Liebmann R, 558
Lifshitz I, 465
Lin YC, 514
Litz CE, 383
Liu DF, 200
Liu S, 514
Loberant N, 504
Lopchinsky RA, 536
LoRusso AP, 256
Louwman MWJ, 123
Love RR, 136
Love SM, 136
Low JA, 146
Lowes K, 368
Lundin ED, (S2)17

MacLennan GT, 423
Maehara Y, 261
Maharaj D, 266
Mahoney MC, 528
Makari-Judson G, 304
Malafa MP, 94
Manchul L, 481
Mann JL, 94
Marboe CC, 160
Mark J, (S2)13
Markle L, 345
Marth C, 61
Masood S, (S2)3, 1, 173, 381
Matalka II, 318
Mathers ME, 58
Mauterer L, 475
McCready DR, 481
McGlothin T, 337
McGregor DK, 259
McIntyre H, 454
McKee GT, 487
McManus K, 101
McMasters KM, 337
McNally C, 10
McPadden E, 462
Mehta VK, 118
Meier CA, 350
Meijer S, 268
Mellor RH, 496
Mendel JB, 27
Mercado C, 160
Mercado CL, 45, 156, 427
Merino J, 244
Mertens WC, 304
Middleton LP, 259, 323
Millman SL, 45, 156
Mituś J, 165
Miyoshi Y, 162
Moch H, 373
Mohamad H, 465
Monden M, 162
Monticciolo DL, 106
Montruccoli G, 169
Mortimer PS, 496
Morton MJ, 66, 159
Motomura K, 509

Naidrich SA, 427
Naraynsingh V, 266
Narod S, 481
Nasseri K, 129
Neal CE, 94
Nelsen C, 313
Nesland JM, 174
Newman LA, (S1)22
Ng YY, 313
Noguchi S, 162, 509
Noguera-Irizarry W, 313
Nour A, 388
Noyes RD, 337
Nuovo GJ, 552

Odzer-Umlas S-L, 449
Offodile RS, 416
Okten O, 359
Olivotto IA, 38
Olopade OI, (S1)5
Osborne C, 433
Osborne MP, 181
Oslan A, (S2)13

Page DL, (S1)3
Paksoy M, 448
Pappo I, 253
Parikh J, 539
Pavolka KR, 94
Peleg T, 465
Pelte M-F, 350
Pennanen MF, 170
Phillips SJ, 54
Pierce LJ, 204
Pile-Spellman E, 313
Pitman MB, 487
Pleat JM, 460
Plesničar A, 560
Poppiti RJ Jr, 449, 548
Porta RP, 169
Potter JE, 298
Prakash S, 392
Pura LS, (S2)17

Quddus MR, 154

Rabinovitch R, (S2)3
Rabinowitz B, (S1)1
Radhi JM, 265
Rafferty E, (S2)3
Ragaz J, 38
Rahusen FD, 268
Ramdass MJ, 266
Ramsaroop R, 454
Ranieri E, 554
Rapelyea J, 141
Raphaely G, 465
Rasier R, 57
Razzouk B, 167
Reddy V, 48
Reed W, 174
Rensing EM, 10
Reyes RJ, 237
Rhea G, 452
Richardson L, 271
Richardson LC, 2
Riker A, 267
Risso G, 458
Roberts CA, 383
Robinson D, (S2)13
Robinson-Smith TM, 528
Rodriguez M, 244
Roig P, 244
Roisman I, 465
Rosen PP, 522
Ross DS, 94
Roumen RMH, 123
Roux S, 345
Russo D, 313

Saade M, 167
Sade Ç, 546
Sahin AA, 323
Said FE, 167
Sainsbury R, 211
Sakoglu N, 448
Salamon V, 504
Salamoun W, 167
Saltzstein EC, 263
Sandbank J, 253
Sandstad B, 174
Sandweiss L, 392
Sano M, 33
Sato N, 33
Sauer H, 223
Sayre JW, 345
Schipper MJ, 204
Schlesinger-Raab A, 223
Schnabel F, 63, 156, 160
Schnall MD, (S2)9
Schott AF, 204
Schubert T, (S2)13
Schwaller J, 350
Schwartz AM, 141
Schwartz GF, 85, 273
Seifert PJ, 94
Seltzer MH, 111
Senofsky G, 398
Sephton SE, 195
Shami P, 167
Shatnawi NJ, 318
Shea B, 48
Shewach DS, 204
Shin E, 509
Shousha S, 150, 355
Shrimankar J, 58
Shutter J, 63
Simmons R, (S1)13
Simmons RM, 181, 440
Simpson D, 337
Singer EA, 170
Sinnett HD, 150
Siziopikou KP, 550
Slanetz PJ, 27
Smith DM, (S2)13
Son BH, 20
Soutou B, 167
Spencer DB, 298
Spiegel A, 271
Spiegel D, 195
Stachowiak AM, 492
Stahl-Kent V, 253
Stanton AWB, 496
Steinert HC, 89
Sterioff S, 159
Stites D, 195
Stolier AJ, 475
Stomper PC, 200
Suh WW, 204
Sunamak O, 57
Sung CJ, 154
Superneau DW, 475
Svensson WE, 355
Swain SM, 146

Taguchi T, 509
Takatsuka Y, 509
Tamaki Y, 162
Tambouret RH, 487
Tanaka K, 295
Tatlidede S, 546
Terreros DA, 263
Thor A, (S1)15
Tiersten A, 313
Tjalma WAA, 65
Tokunaga E, 261
Tripathy D, (S1)26
Troxel A, 313
Trudeau M, 481
Truong P, 38
Tuncbilek N, 359
Tuttle TM, 337
Uematsu T, 33

Unal E, 57
University of Louisville Breast Cancer Study Group, 337
van Beek MWPM, 123
van Diest PJ, 268
Varga Z, 89
Verfaillie G, 60
Vergote I, 211
Verslegers IOJ, 65
Villegas AE, 532
Virno F, 554
von Schulthess GK, 89
Voogd AC, 123
Vreugdenhil G, 123

Wahner-Roedler DL, 66
Walker MJ, 552
Walters TK, 237
Wapnir I, 416
Warren RD, 170
Wasserman I, 253
Weatherall P, (S2)3
Weir L, 38
Weir MM, 487
Weisberg S, 449
Wells MK, 363
Welsh RA, 452
Wendt R III, 492
Whaley DH, 159
Whitman GJ, 259
Wichtermann KA, 94
Wieland AWJ, 123
Wight E, 373

Wilson L, 405
Wingard J, 48
Winston JS, 200
Wong JW, 423
Wong SL, 337
Wong Z-W, 54
Wynn GR, 558
Wysocki WM, 165

Yaghan RJ, 318
Yamamoto D, 295
Yamamura J, 162
Yap KPL, 481
Yared MA, 323
Yeh ED, 27
Yilmaz MH, 57
Yu JJ, 181

Zabora J, 271
Zakaria HM, 466
Zakhireh A, 263
Zhang C, 154

Abscess
Recurrent abscess after MammoSite brachytherapy (Lopchinsky and Giles), 536 (Case report)
Access to health care
Report of the Working Groups on Breast MRI: report of the Consumer Affairs Working Group (Garcia et al), (S2)17
Adenoma
Infiltrating syringomatous adenoma of the nipple: a case report and 20-year retrospective review (Carter and Dyess), 443 (Case report)
Adenomyoepithelioma
Atypical adenomyoepithelioma of the breast: diagnostic problems and practical approaches in core needle biopsy (Zhang et al), 154 (Short communication)
Adrenocorticotropic hormone
Pro-opiomelanocortin expression in a metastatic breast carcinoma with ectopic ACTH secretion (Pelte et al), 350 (Case report)
Age factors
Breast cancer presents at an earlier age in Mexican American women (Boyle and McPadden), 462 (Letter)
Breast complaints, biopsies, and cancer correlated with age in 10,000 consecutive new surgical referrals (Seltzer), 111
Aged
Treatment of breast cancer in medically underserved women: a review (Richardson), 2 (Review article)
American College of Radiology
The American College of Radiology's BI-RADS 3 classification in a nationwide screening program: current assessment and comparison with earlier use (Monticciolo and Caplan), 107
American Society of Breast Disease
CME questions: ASBD 27th Annual Meeting summary, (S1)28
27th Annual Symposium of the American Society of Breast Disease (Rabinowitz), (S1)1 (Introduction)
American Society of Clinical Oncology
Current issues in the surgical management of breast cancer: a review of abstracts from the 2002 San Antonio Breast Cancer Symposium, the 2003 Society of Surgical Oncology Annual Meeting, and the 2003 American Society of Clinical Oncology Meeting (Newman), (S1)22
Angiosarcoma
Mammary parenchymal angiosarcoma after breast-conserving treatment for invasive high-grade ductal carcinoma (Wynn et al), 558 (Letter)
Antibiotics
Antibiotics and the risk for breast cancer: a new dilemma (Masood), 173 (Editorial)
Antigens
CA 125 elevation in breast cancer: a case report and review of the literature (Leonard et al), 146 (Case report)
Antiretroviral agents
Efavirenz-associated gynecomastia: report of five cases and review of the literature (Jover et al), 244 (Case report)
Areola
Analysis of nipple-areolar complex involvement with mastectomy: can the nipple be preserved in Egyptian patients receiving skin-sparing mastectomy? (Afifi and El-Hindawy), 543 (Short communication)
Periareolar injection for localization of sentinel nodes in breast cancer patients (Ellis et al), 94
Aromatase inhibitors
The impact of hormone receptor status on the clinical efficacy of the new-generation aromatase inhibitors: a review of data from first-line metastatic disease trials in postmenopausal women (Buzdar et al), 211
Arteriovenous fistula
Acquired arteriovenous fistula of the breast (Joseph et al), 156 (Short communication)
Axilla
Axillary staging using positron emission tomography in breast cancer patients qualifying for sentinel lymph node biopsy (Fehr et al), 89
Clinical practice guidelines for the use of axillary sentinel lymph node biopsy in carcinoma of the breast: current update (Schwartz), 85 (Review article)
Increased use of adjuvant regional radiotherapy for node-positive breast cancer in British Columbia (Chua et al), 38
Intraoperative cytologic examination of breast sentinel lymph nodes: test utility and patient impact (Dabbs et al), 190
Lymphedema of the arm and breast in irradiated breast cancer patients: risks in an era of dramatically changing axillary surgery (Goffman et al), 405
Mondor's disease of the axilla: a rare complication of sentinel node biopsy (Pappo et al), 253 (Short communication)
Occult metastases in axillary lymph nodes as a predictor of survival in node-negative breast carcinoma with long-term follow-up (Reed et al), 174
Periareolar injection for localization of sentinel nodes in breast cancer patients (Ellis et al), 94
Prediction of additional axillary metastasis of breast cancer following sentinel lymph node surgery (Changsri et al), 392
Re: axillary staging using positron emission tomography in breast cancer patients qualifying for sentinel lymph node biopsy (Bland), 83 (Editorial)
Secondary axillary node carcinoma following treatment of Hodgkin's disease (Said et al), 167 (Letter)
Sentinel lymph node micrometastasis as a predictor of axillary tumor burden (Dabbs), 101
Biopsy
Axillary staging using positron emission tomography in breast cancer patients qualifying for sentinel lymph node biopsy (Fehr et al), 89
Breast complaints, biopsies, and cancer correlated with age in 10,000 consecutive new surgical referrals (Seltzer), 111
Clinical practice guidelines for the use of axillary sentinel lymph node biopsy in carcinoma of the breast: current update (Schwartz), 85 (Review article)
Comment on Rahusen et al. (Dupont et al) (Letter); (Rahusen et al) (Reply), 267
Efficacy of methylene blue dye in localization of sentinel lymph node in breast cancer patients (Nour), 388
Gross pathologic and ultrasound appearances of a new breast biopsy marker (Gittleman et al), 368 (Breast images)
Intraoperative cytologic diagnosis of breast sentinel lymph nodes in the routine, nonacademic setting: a highly specific test with limited sensitivity (Litz et al), 383
Mondor's disease of the axilla: a rare complication of sentinel node biopsy (Pappo et al), 253 (Short communication)
The optimal number of sentinel lymph nodes for focused pathologic examination (Dabbs and Johnson), 186
Prediction of additional axillary metastasis of breast cancer following sentinel lymph node surgery (Changsri et al), 392
Re: axillary staging using positron emission tomography in breast cancer patients qualifying for sentinel lymph node biopsy (Bland), 83 (Editorial)
Report of the Working Groups on Breast MRI: report of the Biopsy and Intervention Working Group (Klimberg et al), (S2)13
The safety of lymphatic mapping in pregnant breast cancer patients using Tc-99m sulfur colloid (Keleher et al), 492
Sentinel lymph node biopsy for breast cancer: improvement in results over time (Chao et al), 337
Simulation of microcalcifications on specimen radiographs of breast biopsies by inks used in marking the surgical resection margins (Wong et al), 423

Ultrasound demonstration of clip migration to skin within 6 weeks of 11-gauge vacuum-assisted stereotactic breast biopsy (Parikh), 539

Biopsy, needle

Atypical adenomyoepithelioma of the breast: diagnostic problems and practical approaches in core needle biopsy (Zhang et al), 154 (Short communication)

Blood dissemination of mammaglobin-specific RNA during core needle biopsy in patients with invasive breast carcinoma (Grünewald et al), 61 (Letter)

Clinical significance and optimal management of patients with an "atypia, probably benign" (C3) report at FNAC of the breast (Brancato et al), 458 (Letter)

"Cystic" metastatic melanoma of the breast diagnosed by fine-needle aspiration: imaging and pathologic findings (Gombos et al), 449 (Breast images)

Localization wire migrating into the hilum of the lung during wire-guided breast biopsy (Mituś et al), 165 (Breast images)

The negative predicative value of breast fine-needle aspiration biopsy: the Massachusetts General Hospital experience (Lau et al), 487

Observations on the pathologic diagnosis of selected unusual lesions in needle core biopsies of breast (Hoda and Rosen), 522

Osseous metaplasia of breast neuroma: diagnosis with stereotactic core biopsy (Haj et al), 366 (Breast images)

Blood dissemination

Blood dissemination of mammaglobin-specific RNA during core needle biopsy in patients with invasive breast carcinoma (Grünewald et al), 61 (Letter)

Bone marrow neoplasms

Bone marrow micrometastases and adjuvant treatment of breast cancer (Yu et al), 181

Brachytherapy

Recurrent abscess after MammoSite brachytherapy (Lopchinsky and Giles), 536 (Case report)

BRCA

Efficacy of risk-reducing salpingo-oophorectomy in women with *BRCA-1* and *BRCA-2* mutations (Olopade and Artioli), (S1)5

Initial experience with surgical treatment planning in the newly diagnosed breast cancer patient at high risk for *BRCA-1* or *BRCA-2* mutation (Stolier et al), 475

Surgical treatment planning in newly diagnosed breast cancer patients at high risk for *BRCA-1* or *BRCA-2* mutation (Chung and Cady), 473 (Editorial)

Breast, surgery

The measurement of wound infection after breast surgery (Hall and Hall), 412

Breast care nurses

U.K. breast surgeons value the informational role of breast care nurses (Pleat et al), 460 (Letter)

Breast centers

Breast care is a team sport (Kaufman), 469 (Letter)

Influencing the change: building blocks for integration of care in breast centers (Masood), 381 (Editorial)

Multidisciplinary breast unit: the activity of the past 15 years (Ranieri et al), 554 (Letter)

Breast conserving therapy

Quality of life following breast-conserving therapy or mastectomy: results of a 5-year prospective study (Engel et al), 223

Breast density

Increase in mammographic breast density associated with the use of domperidone (Harvey et al), 256 (Short communication)

Relationship between mammographic breast density and tamoxifen in women with breast cancer (Tiersten et al), 313

Breast diseases

Acquired arteriovenous fistula of the breast (Joseph et al), 156 (Short communication)

Atypical Mycobacterium breast infection (Verfaillie et al), 60 (Breast images)

Breast lesions, pathology and cancer risk (Page), (S1)3

Breast reconstruction after subcutaneous mastectomy for extensive benign masses (Aygit et al), 163 (Breast images)

Diabetic fibrous mastopathy: dynamic contrast-enhanced magnetic resonance imaging findings (Tuncbilek et al), 359 (Case report)

Epidermal inclusion cyst of the breast: clinical, radiologic, and pathologic correlation (Celik et al), 57 (Breast images)

A giant cystosarcoma phyllodes (Kurt et al), 546 (Breast images)

Idiopathic benign breast calcification (Connors et al), 355 (Case report)

Idiopathic granulomatous mastitis: time to avoid unnecessary mastectomies (Bani-Hani et al), 318

Membranous fat necrosis of the breast: diagnosis by minimally invasive technique (Haj et al), 504

Pseudoangiomatous stromal hyperplasia of the breast: sonographic features with histopathologic correlation (Mercado et al), 427

27th Annual Symposium of the American Society of Breast Disease (Rabinowitz), (S1)1 (Introduction)

An unusual presentation of neurofibromatosis of the breast (Millman and Mercado), 45 (Case report)

Breast feeding

Postlactational microcalcifications (Giron et al), 247 (Case report)

The Breast Journal

Is the Breast Journal serving you right? (Masood), 1 (Editorial)

Breast neoplasms

Poster presentation from the Sixth Annual Mission Conference of the Susan G. Komen Breast Cancer Foundation, Washington, DC, 67

Breast neoplasms, analysis

Blood dissemination of mammaglobin-specific RNA during core needle biopsy in patients with invasive breast carcinoma (Grünewald et al), 61 (Letter)

Ductoscopy: defining its role in the management of breast cancer (Dooley et al), 271 (Editorial)

Pro-opiomelanocortin expression in a metastatic breast carcinoma with ectopic ACTH secretion (Pelte et al), 350 (Case report)

Relationship of ethnicity and histologic type of breast carcinoma in a West Indian population (Dindyal et al), 266 (Letter)

A review of mammary ductoscopy in breast cancer (Yamamoto and Tanaka), 295

A revised staging system for breast cancer (Thor), (S1)15

Significance of mismatch repair protein expression in the chemotherapeutic response of sporadic invasive ductal carcinoma of the breast (Son et al), 20

Transformation of MCF-10A human breast epithelial cells by zeranol and estradiol-17β (Liu and Lin), 514

Breast neoplasms, complications

Contralateral breast cancer: factors associated with stage and size at presentation (Mertens et al), 304

Dual-frequency ultrasound examination of skin and subcutis thickness in breast cancer-related lymphedema (Mellor et al), 496

Ductal carcinoma in situ in a 27-year-old woman with McCune-Albright syndrome (Huston and Simmons), 440 (Case report)

Intramedullary spinal cord metastasis in breast cancer: clinical features, diagnosis, and therapeutic consideration (Villegas and Guthrie), 532 (Case report)

Malignant melanoma metastatic to the breast: an interdisciplinary challenge (Kümmel et al), 377 (Letter)

Mondor's disease of the axilla: a rare complication of sentinel node biopsy (Pappo et al), 253 (Short communication)

Pregnancy-associated breast cancer (Porta et al), 169 (Letter)

The safety of lymphatic mapping in pregnant breast cancer patients using Tc-99m sulfur colloid (Keleher et al), 492

Synchronous presentation of breast cancer and pheochromocytoma in a 57-year-old woman (Joseph et al), 63 (Letter)

Breast neoplasms, diagnosis

The American College of Radiology's BI-RADS 3 classification in a nationwide screening program: current assessment and comparison with earlier use (Monticciolo and Caplan), 107

Atypical adenomyoepithelioma of the breast: diagnostic problems and practical approaches in core needle biopsy (Zhang et al), 154 (Short communication)

Axillary staging using positron emission tomography in breast cancer patients qualifying for sentinel lymph node biopsy (Fehr et al), 89
Breast cancer evaluation: medical legal issues (Brenner), 6 (Review article)
Breast carcinoma originating in a fibroadenoma (Gulec et al), 452 (Breast images)
Chest wall tumors presenting as breast lumps (Shousha and Sinnett), 150 (Case report)
Clinical practice guidelines for the use of axillary sentinel lymph node biopsy in carcinoma of the breast: current update (Schwartz), 85 (Review article)
Clinical significance and optimal management of patients with an "atypia, probably benign" (C3) report at FNAC of the breast (Brancato et al), 458 (Letter)
Comment on Rahusen et al (Dupont et al) (Letter); (Rahusen et al) (Reply), 267
"Cystic" metastatic melanoma of the breast diagnosed by fine-needle aspiration: imaging and pathologic findings (Gombos et al), 449 (Breast images)
Detection of minute breast cancers: a therapeutic challenge with a potential danger of overtreatment (Güth et al), 373 (Letter)
Ductal carcinoma in situ (DCIS) of the male breast (Zakhireh et al), 263 (Breast images)
Efficacy of methylene blue dye in localization of sentinel lymph node in breast cancer patients (Nour), 388
Granular cell tumor of the breast: a series of 17 cases and review of the literature (Adeniran et al), 528 (Case report)
Granulocytic sarcoma (chloroma) of the breast: a diagnostic dilemma and review of the literature (Shea et al), 48 (Case report)
Granulomatous lobular mastitis misdiagnosed as breast carcinoma (Tokunaga et al), 261 (Breast images)
Improving the timeliness of written patient notification of mammography results by mammography centers (Boudreau et al), 10
Intraoperative cytologic diagnosis of breast sentinel lymph nodes in the routine, nonacademic setting: a highly specific test with limited sensitivity (Litz et al), 383
Intraoperative cytologic examination of breast sentinel lymph nodes: test utility and patient impact (Dabbs et al), 190
Introduction to the International Working Groups on Breast MRI (Harms), (S2)1 (Editorial)
Lobular neoplasia within a myoid hamartoma of the breast (Mathers and Shrimankar), 58 (Breast images)
Magnetic resonance imaging of benign phyllodes tumors of the breast (Kinoshita et al), 232
Magnetic resonance imaging of suspicious breast masses seen on one mammographic view (Offodile et al), 416
Mammographic screening and disease presentation of breast cancer patients who die of disease (Spencer et al), 298
Midwifery students and breast self-examination (Plesničar et al), 560 (Letter)
Mondor's disease of the axilla: a rare complication of sentinel node biopsy (Pappo et al), 253 (Short communication)
Mycobacterium fortuitum breast infection following nipple-piercing, mimicking carcinoma (Lewis et al), 363 (Case report)
Myofibroblastoma of the breast (Lichten et al), 370 (Breast images)
The negative predicative value of breast fine-needle aspiration biopsy: the Massachusetts General Hospital experience (Lau et al), 487
Observations on the pathologic diagnosis of selected unusual lesions in needle core biopsies of breast (Hoda and Rosen), 522
Occult metastases in axillary lymph nodes as a predictor of survival in node-negative breast carcinoma with long-term follow-up (Reed et al), 174
The optimal number of sentinel lymph nodes for focused pathologic examination (Dabbs and Johnson), 186
Periareolar injection for localization of sentinel nodes in breast cancer patients (Ellis et al), 94
Prediction of additional axillary metastasis of breast cancer following sentinel lymph node surgery (Changsri et al), 392
Re: axillary staging using positron emission tomography in breast cancer patients qualifying for sentinel lymph node biopsy (Bland), 83 (Editorial)
Report of the Working Groups on Breast MRI: report of the Biopsy and Intervention Working Group (Klimberg et al), (S2)13
Report of the Working Groups on Breast MRI: report of the Breast Cancer Staging Group (Harms et al), (S2)3
Report of the Working Groups on Breast MRI: report of the High-Risk Screening Group (Lehman et al), (S2)9
The safety of lymphatic mapping in pregnant breast cancer patients using Tc-99m sulfur colloid (Keleher et al), 492
Sentinel lymph node biopsy for breast cancer: improvement in results over time (Chao et al), 337
Sentinel lymph node micrometastasis as a predictor of axillary tumor burden (Dabbs), 101
Simulation of microcalcifications on specimen radiographs of breast biopsies by inks used in marking the surgical resection margins (Wong et al), 423
Sonographic and pathologic features of metastatic synovial sarcoma of the lung presenting as a breast neoplasm (Banerjee et al), 372 (Breast images)
Stiff-person syndrome: a rare presentation for breast cancer (Kocak et al), 552 (Letter)
Suspicious nipple discharge and breast magnetic resonance imaging (Tjalma and Verslegers) (Letter); (Wahner-Roedler and Morton) (Reply), 65
Ultrasound demonstration of clip migration to skin within 6 weeks of 11-gauge vacuum-assisted stereotactic breast biopsy (Parikh), 539
Ultrasound in the changing approaches to breast cancer diagnosis and treatment (Simmons), (S1)13

Breast neoplasms, drug therapy
Bone marrow micrometastases and adjuvant treatment of breast cancer (Yu et al), 181
Community-based assessment of adjuvant hormone therapy in women with breast cancer, 1991–1997 (Du et al), 433
Development of malignant breast microcalcifications after neoadjuvant chemotherapy in advanced breast cancer (Fadul et al), 141 (Case report)
Dramatic response of choroidal metastases from breast cancer to a combination of trastuzumab and vinorelbine (Wong et al), 54 (Case report)
Effect of tamoxifen on breast tissue density in premenopausal breast cancer (Slanetz et al), 27
Hormonal therapy in early and advanced breast cancer (Buzdar), (S1)19
The impact of hormone receptor status on the clinical efficacy of the new-generation aromatase inhibitors: a review of data from first-line metastatic disease trials in postmenopausal women (Buzdar et al), 211
A phase I dose escalation trial of gemcitabine with radiotherapy for breast cancer in the treatment of unresectable chest wall recurrences (Suh et al), 204
Phase II study of weekly paclitaxel for docetaxel-resistant metastatic breast cancer in Japan (Taguchi et al), 509
Proceedings of the Consensus Conference on Neoadjuvant Chemotherapy in Carcinoma of the Breast, April 26–28, 2003, Philadelphia, Pennsylvania (Schwartz et al), 273
Relationship between mammographic breast density and tamoxifen in women with breast cancer (Tiersten et al), 313
Use of alternative therapy in postmenopausal breast cancer patients treated with tamoxifen after surgery (Yap et al), 481

Breast neoplasms, economics
Breast cancer from a public health perspective (Love et al), 136 (Dilemmas in breast disease)
Report of the Working Groups on Breast MRI: report of the Consumer Affairs Working Group (Garcia et al), (S2)17
Treatment of breast cancer in medically underserved women: a review (Richardson), 2 (Review article)

Breast neoplasms, epidemiology
Breast cancer in nuns (Roisman et al), 465 (Letter)
Breast complaints, biopsies, and cancer correlated with age in 10,000 consecutive new surgical referrals (Seltzer), 111
Secular trends in the incidence of female breast cancer in the United States, 1973–1998 (Nasseri), 129
Breast neoplasms, ethnicity
Breast cancer presents at an earlier age in Mexican American women (Boyle and McPadden), 462 (Letter)
Relationship of ethnicity and histologic type of breast carcinoma in a West Indian population (Dindyal et al), 266 (Letter)
Breast neoplasms, etiology
Antibiotics and the risk for breast cancer: a new dilemma (Masood), 173 (Editorial)
Bilateral breast metastases of medullary thyroid cancer (Ishitobi et al), 162 (Breast images)
Development of malignant breast microcalcifications after neoadjuvant chemotherapy in advanced breast cancer (Fadul et al), 141 (Case report)
Secondary axillary node carcinoma following treatment of Hodgkin's disease (Said et al), 167 (Letter)
Secular trends in the incidence of female breast cancer in the United States, 1973–1998 (Nasseri), 129
Breast neoplasms, genetics
Initial experience with surgical treatment planning in the newly diagnosed breast cancer patient at high risk for *BRCA-1* or *BRCA-2* mutation (Stolier et al), 475
Prognosis of breast cancer patients with familial history classified according to their menopausal status (Kinoshita et al), 218
Surgical treatment planning in newly diagnosed breast cancer patients at high risk for *BRCA-1* or *BRCA-2* mutation (Chung and Cady), 473 (Editorial)
Breast neoplasms, immunology
CA 125 elevation in breast cancer: a case report and review of the literature (Leonard et al), 146 (Case report)
Cytotoxic T lymphocyte count and survival time in women with metastatic breast cancer (Blake-Mortimer et al), 195
Expression of c-kit proto-oncogene product in breast tissue (Yared et al), 323
False elevation of serum CA 15-3 levels in patients under follow-up for breast cancer (Anguiar-Bujanda et al), 375
Breast neoplasms, legal issues
Breast cancer evaluation: medical legal issues (Brenner), 6 (Review article)
Breast neoplasms, mortality
Breast cancer in nuns (Roisman et al), 465 (Letter)
Mammographic screening and disease presentation of breast cancer patients who die of disease (Spencer et al), 298
Breast neoplasms, pathology
Determinants of prognosis in breast cancer patients with tumor involvement of the skin (pT4b) (Wieland et al), 123
Infiltrating carcinoma with medullary features in the male breast: imaging and pathologic findings (Gombos et al), 548 (Breast images)
Male breast carcinoma: experience from a university hospital in Saudi Arabia (Zakaria et al), 466 (Letter)
Breast neoplasms, prevention and control
Breast lesions, pathology and cancer risk (Page), (S1)3
Efficacy of risk-reducing salpingo-oophorectomy in women with *BRCA-1* and *BRCA-2* mutations (Olopade and Artioli), (S1)5
Risk modeling in breast cancer (Euhus), (S1)10
Breast neoplasms, radiotherapy
Increased use of adjuvant regional radiotherapy for node-positive breast cancer in British Columbia (Chua et al), 38
Lymphedema of the arm and breast in irradiated breast cancer patients: risks in an era of dramatically changing axillary surgery (Goffman et al), 405
Mammary parenchymal angiosarcoma after breast-conserving treatment for invasive high-grade ductal carcinoma (Wynn et al), 558 (Letter)
A phase I dose escalation trial of gemcitabine with radiotherapy for breast cancer in the treatment of unresectable chest wall recurrences (Suh et al), 204
Postmastectomy radiation therapy after TRAM flap breast reconstruction (Mehta and Goffinet), 118
Breast neoplasms, surgery
Analysis of nipple-areolar complex involvement with mastectomy: can the nipple be preserved in Egyptian patients receiving skin-sparing mastectomy? (Afifi and El-Hindawy), 543 (Short communication)
Conservative excision of wire-bracketed breast carcinomas: a community hospital's experience (Florentine et al), 398
Current issues in the surgical management of breast cancer: a review of abstracts from the 2002 San Antonio Breast Cancer Symposium, the 2003 Society of Surgical Oncology Annual Meeting, and the 2003 American Society of Clinical Oncology Meeting (Newman), (S1)22
Initial experience with surgical treatment planning in the newly diagnosed breast cancer patient at high risk for *BRCA-1* or *BRCA-2* mutation (Stolier et al), 475
Postmastectomy radiation therapy after TRAM flap breast reconstruction (Mehta and Goffinet), 118
Quality of life following breast-conserving therapy or mastectomy: results of a 5-year prospective study (Engel et al), 223
Surgical treatment planning in newly diagnosed breast cancer patients at high risk for *BRCA-1* or *BRCA-2* mutation (Chung and Cady), 473 (Editorial)
Use of alternative therapy in postmenopausal breast cancer patients treated with tamoxifen after surgery (Yap et al), 481
Value of three-dimensional helical CT image-guided planning for made-to-order lumpectomy in breast cancer patients (Uematsu et al), 33
Breast neoplasms, therapy
Laser therapy of breast cancer with 3-year follow-up (Dowlatshahi et al), 240 (Case report)
Systemic therapy for advanced breast cancer (Tripathy), (S1)26
Ultrasound in the changing approaches to breast cancer diagnosis and treatment (Simmons), (S1)13
Breast pain
The effect of supraphysiologic levels of iodine on patients with cyclic mastalgia (Kessler), 328
Breast self-examination
Midwifery students and breast self-examination (Plesničar et al), 560 (Letter)
British Columbia
Increased use of adjuvant regional radiotherapy for node-positive breast cancer in British Columbia (Chua et al), 38
Calcification
Development of malignant breast microcalcifications after neoadjuvant chemotherapy in advanced breast cancer (Fadul et al), 141 (Case report)
Distinctive calcific deposits in pregnancy-like hyperplasia (Hoda and Harigopal), 551 (Breast images)
Idiopathic benign breast calcification (Connors et al), 355 (Case report)
Microtome shaving radiography: demonstration of loss of mammographic microcalcifications during histologic sectioning (Winston et al), 200
Post!actational microcalcifications (Giron et al), 247 (Case report)
Simulation of microcalcifications on specimen radiographs of breast biopsies by inks used in marking the surgical resection margins (Wong et al), 423
Cancer antigen 15-3
False elevation of serum CA 15-3 levels in patients under follow-up for breast cancer (Anguiar-Bujanda et al), 375
Cancer antigen 125
CA 125 elevation in breast cancer: a case report and review of the literature (Leonard et al), 146 (Case report)
Carcinoma
Blood dissemination of mammaglobin-specific RNA during core needle biopsy in patients with invasive breast carcinoma (Grünewald et al), 61 (Letter)

Breast carcinoma originating in a fibroadenoma (Gulec et al), 452 (Breast images)
Clinical practice guidelines for the use of axillary sentinel lymph node biopsy in carcinoma of the breast: current update (Schwartz), 85 (Review article)
Conservative excision of wire-bracketed breast carcinomas: a community hospital's experience (Florentine et al), 398
Detection of minute breast cancers: a therapeutic challenge with a potential danger of overtreatment (Güth et al), 373 (Letter)
Granulomatous lobular mastitis misdiagnosed as breast carcinoma (Tokunaga et al), 261 (Breast images)
Infiltrating carcinoma with medullary features in the male breast: imaging and pathologic findings (Gombos et al), 548 (Breast images)
Male breast carcinoma: experience from a university hospital in Saudi Arabia (Zakaria et al), 466 (Letter)
Mycobacterium fortuitum breast infection following nipple-piercing, mimicking carcinoma (Lewis et al), 363 (Case report)
Observations on the pathologic diagnosis of selected unusual lesions in needle core biopsies of breast (Hoda and Rosen), 522
Occult metastases in axillary lymph nodes as a predictor of survival in node-negative breast carcinoma with long-term follow-up (Reed et al), 174
Proceedings of the Consensus Conference on Neoadjuvant Chemotherapy in Carcinoma of the Breast, April 26–28, 2003, Philadelphia, Pennsylvania (Schwartz et al), 273
Pro-opiomelanocortin expression in a metastatic breast carcinoma with ectopic ACTH secretion (Pelte et al), 350 (Case report)
Relationship of ethnicity and histologic type of breast carcinoma in a West Indian population (Dindyal et al), 266 (Letter)
Secondary axillary node carcinoma following treatment of Hodgkin's disease (Said et al), 167 (Letter)

Carcinoma, ductal
Breast lesions, pathology and cancer risk (Page), (S1)3
Ductal carcinoma in situ (DCIS) of the male breast (Zakhireh et al), 263 (Breast images)
Ductal carcinoma in situ in a 27-year-old woman with McCune-Albright syndrome (Huston and Simmons), 440 (Case report)
Lobular neoplasia within a myoid hamartoma of the breast (Mathers and Shrimankar), 58 (Breast images)
Mammary parenchymal angiosarcoma after breast-conserving treatment for invasive high-grade ductal carcinoma (Wynn et al), 558 (Letter)
Significance of mismatch repair protein expression in the chemotherapeutic response of sporadic invasive ductal carcinoma of the breast (Son et al), 20

Chemotherapy, neoadjuvant; *see* Drug therapy, adjuvant

Chest wall neoplasms
Chest wall tumors presenting as breast lumps (Shousha and Sinnett), 150 (Case report)
A phase I dose escalation trial of gemcitabine with radiotherapy for breast cancer in the treatment of unresectable chest wall recurrences (Suh et al), 204

Chloroma; *see* Granulocytic sarcoma

Choroid
Dramatic response of choroidal metastases from breast cancer to a combination of trastuzumab and vinorelbine (Wong et al), 54 (Case report)

Computed tomography; *see* Tomography, x-ray computed

Conferences
Poster presentation from the Sixth Annual Mission Conference of the Susan G. Komen Breast Cancer Foundation, Washington, DC, 67
Proceedings of the Consensus Conference on Neoadjuvant Chemotherapy in Carcinoma of the Breast, April 26–28, 2003, Philadelphia, Pennsylvania (Schwartz et al), 273

Consensus Conference on Neoadjuvant Chemotherapy in Carcinoma of the Breast
Proceedings of the Consensus Conference on Neoadjuvant Chemotherapy in Carcinoma of the Breast, April 26–28, 2003, Philadelphia, Pennsylvania (Schwartz et al), 273

Continuing medical education
CME questions: ASBD 27th Annual Meeting summary, (S1)28

Core needle biopsy; *see* Biopsy, needle

Cushing's syndrome
Pro-opiomelanocortin expression in a metastatic breast carcinoma with ectopic ACTH secretion (Pelte et al), 350 (Case report)

Cystosarcoma phyllodes
A giant cystosarcoma phyllodes (Kurt et al), 546 (Breast images)

Cysts
Epidermal inclusion cyst of the breast: clinical, radiologic, and pathologic correlation (Celik et al), 57 (Breast images)

Cytotoxic T lymphocytes
Cytotoxic T lymphocyte count and survival time in women with metastatic breast cancer (Blake-Mortimer et al), 195

Dermatitis
Tamoxifen-induced radiation recall dermatitis (Singer et al), 170 (Letter)

Diabetic fibrous mastopathy
Diabetic fibrous mastopathy: dynamic contrast-enhanced magnetic resonance imaging findings (Tuncbilek et al), 359 (Case report)

Discomfort; *see* Pain

Docetaxel
Phase II study of weekly paclitaxel for docetaxel-resistant metastatic breast cancer in Japan (Taguchi et al), 509

Domperidone
Increase in mammographic breast density associated with the use of domperidone (Harvey et al), 256 (Short communication)

Drug therapy, adjuvant
Bone marrow micrometastases and adjuvant treatment of breast cancer (Yu et al), 181
Community-based assessment of adjuvant hormone therapy in women with breast cancer, 1991–1997 (Du et al), 433
Development of malignant breast microcalcifications after neoadjuvant chemotherapy in advanced breast cancer (Fadul et al), 141 (Case report)
Proceedings of the Consensus Conference on Neoadjuvant Chemotherapy in Carcinoma of the Breast, April 26–28, 2003, Philadelphia, Pennsylvania (Schwartz et al), 273

Ductography
Ductography: a pictorial essay of common pathologies (Greenberg et al), 454 (Breast images)

Ductoscopy
Ductoscopy: defining its role in the management of breast cancer (Dooley et al), 271 (Editorial)
A review of mammary ductoscopy in breast cancer (Yamamoto and Tanaka), 295

Economics
Breast cancer from a public health perspective (Love et al), 136 (Dilemmas in breast disease)
Report of the Working Groups on Breast MRI: report of the Consumer Affairs Working Group (Garcia et al), (S2)17

Efavirenz
Efavirenz-associated gynecomastia: report of five cases and review of the literature (Jover et al), 244 (Case report)

Egypt
Analysis of nipple-areolar complex involvement with mastectomy: can the nipple be preserved in Egyptian patients receiving skin-sparing mastectomy? (Afifi and El-Hindawy), 543 (Short communication)

Elderly; *see* Aged

Endoscopy
Ductoscopy: defining its role in the management of breast cancer (Dooley et al), 271 (Editorial)
A review of mammary ductoscopy in breast cancer (Yamamoto and Tanaka), 295

Epidermal growth factor receptor
Systemic therapy for advanced breast cancer (Tripathy), (S1)26

Epidermal inclusion cyst
Epidermal inclusion cyst of the breast: clinical, radiologic, and pathologic correlation (Celik et al), 57 (Breast images)

Epithelial cells
Transformation of MCF-10A human breast epithelial cells by zeranol and estradiol-17β (Liu and Lin), 514
Erratum
Letter to the editor (Chiu et al) (2002:8:182), 561
Secular trends in the incidence of female breast cancer in the United States, 1973–1998 (Nasseri) (2004;10:129), 380
Estradiol
Transformation of MCF-10A human breast epithelial cells by zeranol and estradiol-17β (Liu and Lin), 514
Ethnic factors
Breast cancer presents at an earlier age in Mexican American women (Boyle and McPadden), 462 (Letter)
Relationship of ethnicity and histologic type of breast carcinoma in a West Indian population (Dindyal et al), 266 (Letter)
Fat necrosis
Membranous fat necrosis of the breast: diagnosis by minimally invasive technique (Haj et al), 504
Fibroadenoma
Breast carcinoma originating in a fibroadenoma (Gulec et al), 452 (Breast images)
Breast reconstruction after subcutaneous mastectomy for extensive benign masses (Aygit et al), 163 (Breast images)
Fine needle aspiration; *see* Biopsy, needle
Fistula
Acquired arteriovenous fistula of the breast (Joseph et al), 156 (Short communication)
Male mammary fistula complicating senescent gynecomastia (Dennison et al), 237 (Case report)
Flaps, musculocutaneous
Postmastectomy radiation therapy after TRAM flap breast reconstruction (Mehta and Goffinet), 118
Foreign bodies
Localization wire migrating into the hilum of the lung during wire-guided breast biopsy (Mituś et al), 165 (Breast images)
Galactocele
Infected galactocele: a perplexing problem (Ghosh et al), 159 (Short communication)
Galactography
Ductography: a pictorial essay of common pathologies (Greenberg et al), 454 (Breast images)
Gemcitabine
A phase I dose escalation trial of gemcitabine with radiotherapy for breast cancer in the treatment of unresectable chest wall recurrences (Suh et al), 204
Gender factors
Gynecomastia-like changes in the female breast (Khan et al), 550 (Breast images)
Gene mutation
Efficacy of risk-reducing salpingo-oophorectomy in women with *BRCA-1* and *BRCA-2* mutations (Olopade and Artioli), (S1)5
Initial experience with surgical treatment planning in the newly diagnosed breast cancer patient at high risk for *BRCA-1* or *BRCA-2* mutation (Stolier et al), 475
Risk modeling in breast cancer (Euhus), (S1)10
Surgical treatment planning in newly diagnosed breast cancer patients at high risk for *BRCA-1* or *BRCA-2* mutation (Chung and Cady), 473 (Editorial)
Giant cell tumors
Chest wall tumors presenting as breast lumps (Shousha and Sinnett), 150 (Case report)
Granular cell tumor
Granular cell tumor of the breast: a series of 17 cases and review of the literature (Adeniran et al), 528 (Case report)
Granulocytic sarcoma
Granulocytic sarcoma (chloroma) of the breast: a diagnostic dilemma and review of the literature (Shea et al), 48 (Case report)
Granuloma
Granulomatous lobular mastitis misdiagnosed as breast carcinoma (Tokunaga et al), 261 (Breast images)
Idiopathic granulomatous mastitis: time to avoid unnecessary mastectomies (Bani-Hani et al), 318
Growth factors
Systemic therapy for advanced breast cancer (Tripathy), (S1)26
Gynecomastia
Efavirenz-associated gynecomastia: report of five cases and review of the literature (Jover et al), 244 (Case report)
Gynecomastia-like changes in the female breast (Khan et al), 550 (Breast images)
Male mammary fistula complicating senescent gynecomastia (Dennison et al), 237 (Case report)
Hamartoma
Lobular neoplasia within a myoid hamartoma of the breast (Mathers and Shrimankar), 58 (Breast images)
HIV
Efavirenz-associated gynecomastia: report of five cases and review of the literature (Jover et al), 244 (Case report)
Hodgkin's disease
Secondary axillary node carcinoma following treatment of Hodgkin's disease (Said et al), 167 (Letter)
Hormone therapy
Community-based assessment of adjuvant hormone therapy in women with breast cancer, 1991–1997 (Du et al), 433
Hormonal therapy in early and advanced breast cancer (Buzdar), (S1)19
Hormones
The impact of hormone receptor status on the clinical efficacy of the new-generation aromatase inhibitors: a review of data from first-line metastatic disease trials in postmenopausal women (Buzdar et al), 211
Hyperplasia
Distinctive calcific deposits in pregnancy-like hyperplasia (Hoda and Harigopal), 551 (Breast images)
Infection
Atypical Mycobacterium breast infection (Verfaillie et al), 60 (Breast images)
Infected galactocele: a perplexing problem (Ghosh et al), 159 (Short communication)
The measurement of wound infection after breast surgery (Hall and Hall), 412
Mycobacterium fortuitum breast infection following nipple-piercing, mimicking carcinoma (Lewis et al), 363 (Case report)
Recurrent abscess after MammoSite brachytherapy (Lopchinsky and Giles), 536 (Case report)
Inks
Simulation of microcalcifications on specimen radiographs of breast biopsies by inks used in marking the surgical resection margins (Wong et al), 423
Instruments
Gross pathologic and ultrasound appearances of a new breast biopsy marker (Gittleman et al), 368 (Breast images)
International Working Groups on Breast MRI
Introduction to the International Working Groups on Breast MRI (Harms), (S2)1 (Editorial)
Report of the Working Groups on Breast MRI: report of the Biopsy and Intervention Working Group (Klimberg et al), (S2)13
Report of the Working Groups on Breast MRI: report of the Breast Cancer Staging Group (Harms et al), (S2)3
Report of the Working Groups on Breast MRI: report of the Consumer Affairs Working Group (Garcia et al), (S2)17
Report of the Working Groups on Breast MRI: report of the High-Risk Screening Group (Lehman et al), (S2)9
Interstitial laser therapy
Laser therapy of breast cancer with 3-year follow-up (Dowlatshahi et al), 240 (Case report)
Intraoperative procedures
Intraoperative cytologic diagnosis of breast sentinel lymph nodes in the routine, nonacademic setting: a highly specific test with limited sensitivity (Litz et al), 383
Intraoperative cytologic examination of breast sentinel lymph nodes: test utility and patient impact (Dabbs et al), 190
Iodine
The effect of supraphysiologic levels of iodine on patients with cyclic mastalgia (Kessler), 328

Japan
Phase II study of weekly paclitaxel for docetaxel-resistant metastatic breast cancer in Japan (Taguchi et al), 509
Journals
Is the Breast Journal serving you right? (Masood), 1 (Editorial)
Lactation
Postlactational microcalcifications (Giron et al), 247 (Case report)
Lasers
Laser therapy of breast cancer with 3-year follow-up (Dowlatshahi et al), 240 (Case report)
Legal issues
Breast cancer evaluation: medical legal issues (Brenner), 6 (Review article)
Lumpectomy
Value of three-dimensional helical CT image-guided planning for made-to-order lumpectomy in breast cancer patients (Uematsu et al), 33
Lung injuries
Localization wire migrating into the hilum of the lung during wire-guided breast biopsy (Mituś et al), 165 (Breast images)
Lung neoplasms
Sonographic and pathologic features of metastatic synovial sarcoma of the lung presenting as a breast neoplasm (Banerjee et al), 372 (Breast images)
Lymph nodes
Axillary staging using positron emission tomography in breast cancer patients qualifying for sentinel lymph node biopsy (Fehr et al), 89
Clinical practice guidelines for the use of axillary sentinel lymph node biopsy in carcinoma of the breast: current update (Schwartz), 85 (Review article)
Comment on Rahusen et al. (Dupont et al) (Letter); (Rahusen et al) (Reply), 267
Efficacy of methylene blue dye in localization of sentinel lymph node in breast cancer patients (Nour), 388
Increased use of adjuvant regional radiotherapy for node-positive breast cancer in British Columbia (Chua et al), 38
Intraoperative cytologic diagnosis of breast sentinel lymph nodes in the routine, nonacademic setting: a highly specific test with limited sensitivity (Litz et al), 383
Intraoperative cytologic examination of breast sentinel lymph nodes: test utility and patient impact (Dabbs et al), 190
Mondor's disease of the axilla: a rare complication of sentinel node biopsy (Pappo et al), 253 (Short communication)
Occult metastases in axillary lymph nodes as a predictor of survival in node-negative breast carcinoma with long-term follow-up (Reed et al), 174
The optimal number of sentinel lymph nodes for focused pathologic examination (Dabbs and Johnson), 186
Periareolar injection for localization of sentinel nodes in breast cancer patients (Ellis et al), 94
Prediction of additional axillary metastasis of breast cancer following sentinel lymph node surgery (Changsri et al), 392
Re: axillary staging using positron emission tomography in breast cancer patients qualifying for sentinel lymph node biopsy (Bland), 83 (Editorial)
The safety of lymphatic mapping in pregnant breast cancer patients using Tc-99m sulfur colloid (Keleher et al), 492
Secondary axillary node carcinoma following treatment of Hodgkin's disease (Said et al), 167 (Letter)
Sentinel lymph node biopsy for breast cancer: improvement in results over time (Chao et al), 337
Sentinel lymph node micrometastasis as a predictor of axillary tumor burden (Dabbs), 101
Lymphatic mapping
The safety of lymphatic mapping in pregnant breast cancer patients using Tc-99m sulfur colloid (Keleher et al), 492
Lymphedema
Dual-frequency ultrasound examination of skin and subcutis thickness in breast cancer-related lymphedema (Mellor et al), 496
Lymphedema of the arm and breast in irradiated breast cancer patients: risks in an era of dramatically changing axillary surgery (Goffman et al), 405
Lymphoscintigraphy
The safety of lymphatic mapping in pregnant breast cancer patients using Tc-99m sulfur colloid (Keleher et al), 492
Macromastia
Pregnancy-induced macromastia (Ayan et al), 448 (Breast images)
Magnetic resonance imaging
Diabetic fibrous mastopathy: dynamic contrast-enhanced magnetic resonance imaging findings (Tuncbilek et al), 359 (Case report)
Introduction to the International Working Groups on Breast MRI (Harms), (S2)1 (Editorial)
Magnetic resonance imaging of benign phyllodes tumors of the breast (Kinoshita et al), 232
Magnetic resonance imaging of suspicious breast masses seen on one mammographic view (Offodile et al), 416
Report of the Working Groups on Breast MRI: report of the Biopsy and Intervention Working Group (Klimberg et al), (S2)13
Report of the Working Groups on Breast MRI: report of the Breast Cancer Staging Group (Harms et al), (S2)3
Report of the Working Groups on Breast MRI: report of the Consumer Affairs Working Group (Garcia et al), (S2)17
Report of the Working Groups on Breast MRI: report of the High-Risk Screening Group (Lehman et al), (S2)9
Suspicious nipple discharge and breast magnetic resonance imaging (Tjalma and Verslegers) (Letter); (Wahner-Roedler and Morton) (Reply), 65
Males
Ductal carcinoma in situ (DCIS) of the male breast (Zakhireh et al), 263 (Breast images)
Efavirenz-associated gynecomastia: report of five cases and review of the literature (Jover et al), 244 (Case report)
Free silicone injection causing polyarthropathy and septic shock (Komenaka et al), 160 (Breast images)
Infiltrating carcinoma with medullary features in the male breast: imaging and pathologic findings (Gombos et al), 548 (Breast images)
Male breast: apocrine ductal papilloma with psammoma bodies (Radhi), 265 (Breast images)
Male breast carcinoma: experience from a university hospital in Saudi Arabia (Zakaria et al), 466 (Letter)
Male mammary fistula complicating senescent gynecomastia (Dennison et al), 237 (Case report)
Myofibroblastoma of the breast (Lichten et al), 370 (Breast images)
Malignant melanoma; *see* Melanoma
Malpractice
Breast cancer evaluation: medical legal issues (Brenner), 6 (Review article)
Mammaglobin
Blood dissemination of mammaglobin-specific RNA during core needle biopsy in patients with invasive breast carcinoma (Grünewald et al), 61 (Letter)
Mammary ductoscopy
Ductoscopy: defining its role in the management of breast cancer (Dooley et al), 271 (Editorial)
A review of mammary ductoscopy in breast cancer (Yamamoto and Tanaka), 295
Mammography
Contralateral breast cancer: factors associated with stage and size at presentation (Mertens et al), 304
Effect of tamoxifen on breast tissue density in premenopausal breast cancer (Slanetz et al), 27
Epidermal inclusion cyst of the breast: clinical, radiologic, and pathologic correlation (Celik et al), 57 (Breast images)
Granulocytic sarcoma (chloroma) of the breast: a diagnostic dilemma and review of the literature (Shea et al), 48 (Case report)
Idiopathic benign breast calcification (Connors et al), 355 (Case report)

Improving the timeliness of written patient notification of mammography results by mammography centers (Boudreau et al), 10
Increase in mammographic breast density associated with the use of domperidone (Harvey et al), 256 (Short communication)
Magnetic resonance imaging of suspicious breast masses seen on one mammographic view (Offodile et al), 416
Mammographic screening and disease presentation of breast cancer patients who die of disease (Spencer et al), 298
Microtome shaving radiography: demonstration of loss of mammographic microcalcifications during histologic sectioning (Winston et al), 200
Myolipoma of the breast: mammographic, sonographic, and pathologic correlation (McGregor et al), 259 (Breast images)
Reduction of discomfort during mammography utilizing a radiolucent cushioning pad (Markle et al), 345
Relationship between mammographic breast density and tamoxifen in women with breast cancer (Tiersten et al), 313
Secular trends in the incidence of female breast cancer in the United States, 1973–1998 (Nasseri), 129

Mastalgia
The effect of supraphysiologic levels of iodine on patients with cyclic mastalgia (Kessler), 328

Mastectomy
Analysis of nipple-areolar complex involvement with mastectomy: can the nipple be preserved in Egyptian patients receiving skin-sparing mastectomy? (Afifi and El-Hindawy), 543 (Short communication)
Breast reconstruction after subcutaneous mastectomy for extensive benign masses (Aygit et al), 163 (Breast images)
Idiopathic granulomatous mastitis: time to avoid unnecessary mastectomies (Bani-Hani et al), 318
Postmastectomy radiation therapy after TRAM flap breast reconstruction (Mehta and Goffinet), 118
Quality of life following breast-conserving therapy or mastectomy: results of a 5-year prospective study (Engel et al), 223

Mastitis
Granulomatous lobular mastitis misdiagnosed as breast carcinoma (Tokunaga et al), 261 (Breast images)
Idiopathic granulomatous mastitis: time to avoid unnecessary mastectomies (Bani-Hani et al), 318

Mathematical modeling
Risk modeling in breast cancer (Euhus), (S1)10

McCune-Albright syndrome
Ductal carcinoma in situ in a 27-year-old woman with McCune-Albright syndrome (Huston and Simmons), 440 (Case report)

Medically underserved
Treatment of breast cancer in medically underserved women: a review (Richardson), 2 (Review article)

Melanoma
"Cystic" metastatic melanoma of the breast diagnosed by fine-needle aspiration: imaging and pathologic findings (Gombos et al), 449 (Breast images)
Malignant melanoma metastatic to the breast: an interdisciplinary challenge (Kümmel et al), 377 (Letter)

Menopause
Prognosis of breast cancer patients with familial history classified according to their menopausal status (Kinoshita et al), 218

Metastasis; *see* Neoplasm metastasis

Methylene blue
Efficacy of methylene blue dye in localization of sentinel lymph node in breast cancer patients (Nour), 388

Mexican-Americans
Breast cancer presents at an earlier age in Mexican American women (Boyle and McPadden), 462 (Letter)

Microcalcification; *see* Calcification

Micrometastasis; *see* Neoplasm metastasis

Microtome shaving radiography; *see* Radiography

Midwifery
Midwifery students and breast self-examination (Plesničar et al), 560 (Letter)

Minority groups
Treatment of breast cancer in medically underserved women: a review (Richardson), 2 (Review article)

Mismatch repair gene
Significance of mismatch repair protein expression in the chemotherapeutic response of sporadic invasive ductal carcinoma of the breast (Son et al), 20

Mondor's disease
Mondor's disease of the axilla: a rare complication of sentinel node biopsy (Pappo et al), 253 (Short communication)

Multidisciplinary breast unit
Multidisciplinary breast unit: the activity of the past 15 years (Ranieri et al), 554 (Letter)

Mycobacterium
Atypical Mycobacterium breast infection (Verfaillie et al), 60 (Breast images)
Mycobacterium fortuitum breast infection following nipple-piercing, mimicking carcinoma (Lewis et al), 363 (Case report)

Myofibroblastoma
Myofibroblastoma of the breast (Lichten et al), 370 (Breast images)

Myoid hamartoma; *see* Hamartoma

Myolipoma
Myolipoma of the breast: mammographic, sonographic, and pathologic correlation (McGregor et al), 259 (Breast images)

Needle biopsy; *see* Biopsy, needle

Negative predictive value
The negative predicative value of breast fine-needle aspiration biopsy: the Massachusetts General Hospital experience (Lau et al), 487

Neoadjuvant chemotherapy; *see* Drug therapy, adjuvant

Neoplasm metastasis
Bilateral breast metastases of medullary thyroid cancer (Ishitobi et al), 162 (Breast images)
Bone marrow micrometastases and adjuvant treatment of breast cancer (Yu et al), 181
"Cystic" metastatic melanoma of the breast diagnosed by fine-needle aspiration: imaging and pathologic findings (Gombos et al), 449 (Breast images)
Cytotoxic T lymphocyte count and survival time in women with metastatic breast cancer (Blake-Mortimer et al), 195
Dramatic response of choroidal metastases from breast cancer to a combination of trastuzumab and vinorelbine (Wong et al), 54 (Case report)
The impact of hormone receptor status on the clinical efficacy of the new-generation aromatase inhibitors: a review of data from first-line metastatic disease trials in postmenopausal women (Buzdar et al), 211
Intramedullary spinal cord metastasis in breast cancer: clinical features, diagnosis, and therapeutic consideration (Villegas and Guthrie), 532 (Case report)
Malignant melanoma metastatic to the breast: an interdisciplinary challenge (Kümmel et al), 377 (Letter)
Occult metastases in axillary lymph nodes as a predictor of survival in node-negative breast carcinoma with long-term follow-up (Reed et al), 174
Phase II study of weekly paclitaxel for docetaxel-resistant metastatic breast cancer in Japan (Taguchi et al), 509
Prediction of additional axillary metastasis of breast cancer following sentinel lymph node surgery (Changsri et al), 392
Pro-opiomelanocortin expression in a metastatic breast carcinoma with ectopic ACTH secretion (Pelte et al), 350 (Case report)
Sentinel lymph node micrometastasis as a predictor of axillary tumor burden (Dabbs), 101
Sonographic and pathologic features of metastatic synovial sarcoma of the lung presenting as a breast neoplasm (Banerjee et al), 372 (Breast images)

Neoplasm recurrence, local
Determinants of prognosis in breast cancer patients with tumor involvement of the skin (pT4b) (Wieland et al), 123

A phase I dose escalation trial of gemcitabine with radiotherapy for breast cancer in the treatment of unresectable chest wall recurrences (Suh et al), 204

Neoplasm staging
Contralateral breast cancer: factors associated with stage and size at presentation (Mertens et al), 304
Report of the Working Groups on Breast MRI: report of the Breast Cancer Staging Group (Harms et al), (S2)3
A revised staging system for breast cancer (Thor), (S1)15

Neurofibromatosis
An unusual presentation of neurofibromatosis of the breast (Millman and Mercado), 45 (Case report)

Neuroma
Osseous metaplasia of breast neuroma: diagnosis with stereotactic core biopsy (Haj et al), 366 (Breast images)

Nipple
Analysis of nipple-areolar complex involvement with mastectomy: can the nipple be preserved in Egyptian patients receiving skin-sparing mastectomy? (Afifi and El-Hindawy), 543 (Short communication)
Ductography: a pictorial essay of common pathologies (Greenberg et al), 454 (Breast images)
Infiltrating syringomatous adenoma of the nipple: a case report and 20-year retrospective review (Carter and Dyess), 443 (Case report)
Mycobacterium fortuitum breast infection following nipple-piercing, mimicking carcinoma (Lewis et al), 363 (Case report)
Suspicious nipple discharge and breast magnetic resonance imaging (Tjalma and Verslegers) (Letter); (Wahner-Roedler and Morton) (Reply), 65

Nuns; *see* Religious orders

Nursing
U.K. breast surgeons value the informational role of breast care nurses (Pleat et al), 460 (Letter)

Osseous metaplasia
Osseous metaplasia of breast neuroma: diagnosis with stereotactic core biopsy (Haj et al), 366 (Breast images)

Osteosarcoma
Chest wall tumors presenting as breast lumps (Shousha and Sinnett), 150 (Case report)

Ovarian neoplasms
Efficacy of risk-reducing salpingo-oophorectomy in women with *BRCA-1* and *BRCA-2* mutations (Olopade and Artioli), (S1)5

Overtreatment
Detection of minute breast cancers: a therapeutic challenge with a potential danger of overtreatment (Güth et al), 373 (Letter)

Paclitaxel
Phase II study of weekly paclitaxel for docetaxel-resistant metastatic breast cancer in Japan (Taguchi et al), 509

Pain
The effect of supraphysiologic levels of iodine on patients with cyclic mastalgia (Kessler), 328
Reduction of discomfort during mammography utilizing a radiolucent cushioning pad (Markle et al), 345

Papilloma
Male breast: apocrine ductal papilloma with psammoma bodies (Radhi), 265 (Breast images)

Patient notification
Improving the timeliness of written patient notification of mammography results by mammography centers (Boudreau et al), 10

Patient satisfaction
Reduction of discomfort during mammography utilizing a radiolucent cushioning pad (Markle et al), 345

Pheochromocytoma
Synchronous presentation of breast cancer and pheochromocytoma in a 57-year-old woman (Joseph et al), 63 (Letter)

Phyllodes tumor
Magnetic resonance imaging of benign phyllodes tumors of the breast (Kinoshita et al), 232

Polyarthropathy
Free silicone injection causing polyarthropathy and septic shock (Komenaka et al), 160 (Breast images)

Positron emission tomography; *see* Tomography, emission-computed

Poster presentation
Poster presentation from the Sixth Annual Mission Conference of the Susan G. Komen Breast Cancer Foundation, Washington, DC, 67

Poverty
Treatment of breast cancer in medically underserved women: a review (Richardson), 2 (Review article)

Pregnancy
Distinctive calcific deposits in pregnancy-like hyperplasia (Hoda and Harigopal), 551 (Breast images)
Postlactational microcalcifications (Giron et al), 247 (Case report)
Pregnancy-associated breast cancer (Porta et al), 169 (Letter)
Pregnancy-induced macromastia (Ayan et al), 448 (Breast images)
The safety of lymphatic mapping in pregnant breast cancer patients using Tc-99m sulfur colloid (Keleher et al), 492

Pro-opiomelanocortin
Pro-opiomelanocortin expression in a metastatic breast carcinoma with ectopic ACTH secretion (Pelte et al), 350 (Case report)

Protein expression
Significance of mismatch repair protein expression in the chemotherapeutic response of sporadic invasive ductal carcinoma of the breast (Son et al), 20

Proto-oncogenes
Expression of c-kit proto-oncogene product in breast tissue (Yared et al), 323

Psammoma bodies
Male breast: apocrine ductal papilloma with psammoma bodies (Radhi), 265 (Breast images)

Pseudoangiomatous stromal hyperplasia
Pseudoangiomatous stromal hyperplasia of the breast: sonographic features with histopathologic correlation (Mercado et al), 427

Public health
Breast cancer from a public health perspective (Love et al), 136 (Dilemmas in breast disease)

Publications
Is the Breast Journal serving you right? (Masood), 1 (Editorial)

Quality of health care
Breast care is a team sport (Kaufman), 469 (Letter)
Influencing the change: building blocks for integration of care in breast centers (Masood), 381 (Editorial)

Quality of life
Quality of life following breast-conserving therapy or mastectomy: results of a 5-year prospective study (Engel et al), 223

Radiation recall dermatitis
Tamoxifen-induced radiation recall dermatitis (Singer et al), 170 (Letter)

Radiation therapy
Lymphedema of the arm and breast in irradiated breast cancer patients: risks in an era of dramatically changing axillary surgery (Goffman et al), 405
A phase I dose escalation trial of gemcitabine with radiotherapy for breast cancer in the treatment of unresectable chest wall recurrences (Suh et al), 204
Postmastectomy radiation therapy after TRAM flap breast reconstruction (Mehta and Goffinet), 118

Radiography
Microtome shaving radiography: demonstration of loss of mammographic microcalcifications during histologic sectioning (Winston et al), 200
Simulation of microcalcifications on specimen radiographs of breast biopsies by inks used in marking the surgical resection margins (Wong et al), 423

Radiology
The American College of Radiology's BI-RADS 3 classification in a nationwide screening program: current assessment and comparison with earlier use (Monticciolo and Caplan), 107

Religious orders
Breast cancer in nuns (Roisman et al), 465 (Letter)

Risk factors
Antibiotics and the risk for breast cancer: a new dilemma (Masood), 173 (Editorial)
Breast lesions, pathology and cancer risk (Page), (S1)3
Efficacy of risk-reducing salpingo-oophorectomy in women with *BRCA-1* and *BRCA-2* mutations (Olopade and Artioli), (S1)5
Initial experience with surgical treatment planning in the newly diagnosed breast cancer patient at high risk for *BRCA-1* or *BRCA-2* mutation (Stolier et al), 475
Report of the Working Groups on Breast MRI: report of the High-Risk Screening Group (Lehman et al), (S2)9
Risk modeling in breast cancer (Euhus), (S1)10
Surgical treatment planning in newly diagnosed breast cancer patients at high risk for *BRCA-1* or *BRCA-2* mutation (Chung and Cady), 473 (Editorial)
Salpingo-oophorectomy
Efficacy of risk-reducing salpingo-oophorectomy in women with *BRCA-1* and *BRCA-2* mutations (Olopade and Artioli), (S1)5
San Antonio Breast Cancer Symposium
Current issues in the surgical management of breast cancer: a review of abstracts from the 2002 San Antonio Breast Cancer Symposium, the 2003 Society of Surgical Oncology Annual Meeting, and the 2003 American Society of Clinical Oncology Meeting (Newman), (S1)22
Sarcoma
Granulocytic sarcoma (chloroma) of the breast: a diagnostic dilemma and review of the literature (Shea et al), 48 (Case report)
Sonographic and pathologic features of metastatic synovial sarcoma of the lung presenting as a breast neoplasm (Banerjee et al), 372 (Breast images)
Saudi Arabia
Male breast carcinoma: experience from a university hospital in Saudi Arabia (Zakaria et al), 466 (Letter)
Self-examination
Midwifery students and breast self-examination (Plesničar et al), 560 (Letter)
Sentinel lymph node; *see* Lymph nodes
Shock, septic
Free silicone injection causing polyarthropathy and septic shock (Komenaka et al), 160 (Breast images)
Silicone
Free silicone injection causing polyarthropathy and septic shock (Komenaka et al), 160 (Breast images)
Skin
Dual-frequency ultrasound examination of skin and subcutis thickness in breast cancer-related lymphedema (Mellor et al), 496
Skin neoplasms
Determinants of prognosis in breast cancer patients with tumor involvement of the skin (pT4b) (Wieland et al), 123
Malignant melanoma metastatic to the breast: an interdisciplinary challenge (Kümmel et al), 377 (Letter)
Society of Surgical Oncology
Current issues in the surgical management of breast cancer: a review of abstracts from the 2002 San Antonio Breast Cancer Symposium, the 2003 Society of Surgical Oncology Annual Meeting, and the 2003 American Society of Clinical Oncology Meeting (Newman), (S1)22
Spinal cord neoplasms
Intramedullary spinal cord metastasis in breast cancer: clinical features, diagnosis, and therapeutic consideration (Villegas and Guthrie), 532 (Case report)
Staging, neoplasm; *see* Neoplasm staging
Stereotactic techniques
Ultrasound demonstration of clip migration to skin within 6 weeks of 11-gauge vacuum-assisted stereotactic breast biopsy (Parikh), 539
Stiff-person syndrome
Stiff-person syndrome: a rare presentation for breast cancer (Kocak et al), 552 (Letter)
Survival
Cytotoxic T lymphocyte count and survival time in women with metastatic breast cancer (Blake-Mortimer et al), 195
Mammographic screening and disease presentation of breast cancer patients who die of disease (Spencer et al), 298
Prognosis of breast cancer patients with familial history classified according to their menopausal status (Kinoshita et al), 218
Susan G. Komen Breast Cancer Foundation
Poster presentation from the Sixth Annual Mission Conference of the Susan G. Komen Breast Cancer Foundation, Washington, DC, 67
Symposium
Current issues in the surgical management of breast cancer: a review of abstracts from the 2002 San Antonio Breast Cancer Symposium, the 2003 Society of Surgical Oncology Annual Meeting, and the 2003 American Society of Clinical Oncology Meeting (Newman), (S1)22
27th Annual Symposium of the American Society of Breast Disease (Rabinowitz), (S1)1 (Introduction)
Syringomatous adenoma
Infiltrating syringomatous adenoma of the nipple: a case report and 20-year retrospective review (Carter and Dyess), 443 (Case report)
T lymphocytes
Cytotoxic T lymphocyte count and survival time in women with metastatic breast cancer (Blake-Mortimer et al), 195
Tamoxifen
Effect of tamoxifen on breast tissue density in premenopausal breast cancer (Slanetz et al), 27
Relationship between mammographic breast density and tamoxifen in women with breast cancer (Tiersten et al), 313
Tamoxifen-induced radiation recall dermatitis (Singer et al), 170 (Letter)
Use of alternative therapy in postmenopausal breast cancer patients treated with tamoxifen after surgery (Yap et al), 481
Tc-99m sulfur colloid; *see* Lymphoscintigraphy
Three-dimensional helical CT; *see* Tomography, x-ray computed
Thyroid neoplasms
Bilateral breast metastases of medullary thyroid cancer (Ishitobi et al), 162 (Breast images)
Tomography, emission-computed
Axillary staging using positron emission tomography in breast cancer patients qualifying for sentinel lymph node biopsy (Fehr et al), 89
Re: axillary staging using positron emission tomography in breast cancer patients qualifying for sentinel lymph node biopsy (Bland), 83 (Editorial)
Tomography, x-ray computed
Atypical Mycobacterium breast infection (Verfaillie et al), 60 (Breast images)
Value of three-dimensional helical CT image-guided planning for made-to-order lumpectomy in breast cancer patients (Uematsu et al), 33
TRAM flap; *see* Flaps, musculocutaneous
Trastuzumab
Dramatic response of choroidal metastases from breast cancer to a combination of trastuzumab and vinorelbine (Wong et al), 54 (Case report)
Ultrasonography
Dual-frequency ultrasound examination of skin and subcutis thickness in breast cancer-related lymphedema (Mellor et al), 496
Gross pathologic and ultrasound appearances of a new breast biopsy marker (Gittleman et al), 368 (Breast images)
Myolipoma of the breast: mammographic, sonographic, and pathologic correlation (McGregor et al), 259 (Breast images)
Sonographic and pathologic features of metastatic synovial sarcoma of the lung presenting as a breast neoplasm (Banerjee et al), 372 (Breast images)
Ultrasound demonstration of clip migration to skin within 6 weeks of 11-gauge vacuum-assisted stereotactic breast biopsy (Parikh), 539

Ultrasound in the changing approaches to breast cancer diagnosis and treatment (Simmons), (S1)13

United Kingdom

U.K. breast surgeons value the informational role of breast care nurses (Pleat et al), 460 (Letter)

Vascular endothelial growth factor

Systemic therapy for advanced breast cancer (Tripathy), (S1)26

Vinorelbine

Dramatic response of choroidal metastases from breast cancer to a combination of trastuzumab and vinorelbine (Wong et al), 54 (Case report)

West Indies

Relationship of ethnicity and histologic type of breast carcinoma in a West Indian population (Dindyal et al), 266 (Letter)

Wire-guided biopsy

Conservative excision of wire-bracketed breast carcinomas: a community hospital's experience (Florentine et al), 398

Localization wire migrating into the hilum of the lung during wire-guided breast biopsy (Mituś et al), 165 (Breast images)

Wound infection

The measurement of wound infection after breast surgery (Hall and Hall), 412

Zeranol

Transformation of MCF-10A human breast epithelial cells by zeranol and estradiol-17β (Liu and Lin), 514